

PRODUCT SPECIFICATION

XPLOR Outdoor Adventure Headlamp Model: PHR19

Revision History

Revision	Date	Initiator	Reason for Change
R1	10 Dec 2021	John Chan	First release
R2	7 Jan 2022	Patrick Lee	
R3	21 Jan 2022	Patrick Lee	Modify the weight in the Basic Information.

Prepared By	Approved By
Patrick Lee	Antonio Arancio
Date: 21 Jan 2022	Date: 21 Jan 2022

GP Batteries

Product Specification



Model no.: PHR19

Basic information

Product Name : XPLOR Outdoor Adventure Headlamp

Dimension : 91.5 x 42.0 x 52.2mm

Weight : 114g (with head-strap, without battery)

161g (with head-strap, with battery)

Battery type : 1x 18650 Li-ion 2550mAh rechargeable / 2x CR123A

Charging port : USB-C

Charging time : 3h

Per ANSI FL1 Standard

Spot LED chip : OSRAM OSCONIQ P3737 CRI70 6500K

Lumen output (Spot) : $800 \text{Im} \rightarrow 500 \text{Im} \rightarrow 150 \text{Im} \rightarrow 40 \text{Im}$

Runtime (Spot) : $3.5h \rightarrow 4h \rightarrow 6.5h \rightarrow 38h$

Beam distance (Spot) : $110m \rightarrow 60m \rightarrow 35m \rightarrow 15m$

Flood LED chip : OSRAM OSLON SQUARE CRI90 4000K

Lumen output (Flood) : $400 \text{lm} \rightarrow 250 \text{lm} \rightarrow 40 \text{lm} \rightarrow 10 \text{lm}$

Runtime (Flood) : $4.5h \rightarrow 6h \rightarrow 18.5h \rightarrow 100h$

Beam distance (Flood) : $62m \rightarrow 40m \rightarrow 15m \rightarrow 5m$

Lumen output (Turbo) : 1200lm Runtime (Turbo) : 2h Waterproof resistance : IPX8 Impact resistance : 1.5m

Product features

Battery / Charge level indicator CR123A Compatible Lockout mode

Low battery warning Type-C charging port Turbo mode

Dual switch for Spot and Flood lights Memory function SOS / Beacon mode

Intelligent overheat protection 18650 Li-ion rechargeable battery

Applications

Outdoor adventure headlamp

Accessories included

Washable reflective head strap

Helmet mount adaptor and 3M double-sided tape

30cm USB-A to USB-C charging cable

Li-ion 18650 rechargeable battery

Spare O-ring x2

User manual

Certification

CE, UKCA, RoHS, UN38.3, IEC62471

Member Gold Peak Group

Manufacturer reserves the right to alter or amend the design, model and specification without prior notice.